# Study of Ocean Bottom Interactions With Acoustic Waves by a New Elastic Wave Propagation Algorithm and an Energy Flow Analysis Technique

Ru-Shan Wu Xiao-Bi Xie Institute of Tectonics, University of California Santa Cruz, CA 95064

phone: (831)459-5135 fax: (831)459-2127 email: wrs@es.ucsc.edu phone: (831)459-5094 fax: (831)459-2127 email: xie@es.ucsc.edu

Award #: N00014-95-1-0093 http://www.es.ucsc.edu/~act i

# LONG-TERM GOAL

Develop a new method and the code to simulate 3D acoustic/elastic wave propagation and interaction with the ocean water and ocean bottom environment. The method will be applied to numerical simulations and imaging to study the wave/sea-bottom interaction, energy partitioning, scattering mechanism and other problems that are crucial for many ocean bottom-surveying techniques. Our understanding on shallow water acoustic wave propagation and its interaction with sediments can be improved.

# **SCIENTIFIC OBJECTIVES**

Improve and develop the ECS (Elastic Complex-Screen), a new one-way elastic wave propagation method, and apply it to the ocean bottom environment to study the elsto-acoustic wave propagation in complex laterally heterogeneous media, including rough interface and random volume heterogeneity.

### **APPROACH**

The basic approach is connection the acoustic phase screen algorithm and elastic complex screen algorithm with a boundary condition, which may permit certain types of roughness. With this method, the acoustic signal can propagate all the way through seawater and solid bottom. Reflections from both water and sub-bottom structures can also be calculated and propagated upward to the surface. A free surface condition can be added at either the source side or receiver side.

# WORK COMPLETED

Developed a new version for phase screen method, which can be used for wave propagation at wide angle and under large velocity contrast. We derived the formulas for the new method. We also wrote the code and conducted numerical experiments which applied the new method to both forward modeling and imaging.

maintaining the data needed, and c including suggestions for reducing	lection of information is estimated to completing and reviewing the collect this burden, to Washington Headqu uld be aware that notwithstanding an DMB control number.	ion of information. Send comments arters Services, Directorate for Info	regarding this burden estimate rmation Operations and Reports	or any other aspect of the 1215 Jefferson Davis	is collection of information, Highway, Suite 1204, Arlington	
1. REPORT DATE <b>1998</b> 2.		2. REPORT TYPE		3. DATES COVERED <b>00-00-1998 to 00-00-1998</b>		
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER		
Study of Ocean Bottom Interactions With Acoustic Waves by a New Elastic Wave Propagation Algorithm and an Energy Flow Analysis				5b. GRANT NUMBER		
Technique				5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)  University of California,Institute of Tectonics,Santa Cruz,CA,95064				8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)		
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION/AVAIL Approved for publ	LABILITY STATEMENT ic release; distributi	on unlimited				
13. SUPPLEMENTARY NO See also ADM0022						
14. ABSTRACT						
15. SUBJECT TERMS						
16. SECURITY CLASSIFIC	17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF			
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	3	RESPONSIBLE PERSON	

**Report Documentation Page** 

Form Approved OMB No. 0704-0188

# **RESULTS**

Phase screen method is a high efficient one way wave equation method which can be used either in forward modeling or seismic migration. However, the phase screen method is accurate only for small perturbations or for small incident angles which prevent it from applying to models with large velocity contrasts. In this study, a general formulation of the screen method is derived for wide angle under large velocity contrast. The derivation is based on the plane wave decomposition which avoid the small perturbation assumption. From the general formula, different approaches including the phase screen method and pseudo screen method can be derived under different approximations.

# IMPACT/APPLICATION

The phase screen method is based on the one way wave equation method. It can be used as a high efficiency propagator for forward propagation (Wu, 1994; Xie and Wu, 1995, 1996) or seismic migration (Wu and Xie 1994; Huang and Wu, 1996; Wu and Jin, 1997). The derivation of phase screen method usually requires that the velocity perturbation is small or the incident angle is small. However, the real models may contain very large velocity contrasts. The new propagator developed in this study can be directly applied to wave propagation and migration under large velocity perturbations and wide propagation angle.

Numerical tests have been conducted for both forward modeling and imaging (migration). The results show that the new method gives results that much better than that by the conventional phase screen method, and this new method can be a very useful propagator in modeling/imaging where large velocity contrasts exist in the model.

### **TRANSITIONS**

None

# RELATED PROJECTS

The ONR supported project is part of researches conducted in the Modeling and Imaging Project (MIP) at University of California, Santa Cruz. The MIP is co-sponsored by DOE, DOD, ONR, AFOSR, GRI, NSF and some industrial companies. The MIP is aiming at developing new theories, methods and algorithms for modeling and imaging in 3D complex environments. This project emphasizes on the fast one-way propagation methods, and also searches for the application of newly developed technologies, such as the wavelet transform, in the wave propagation theory.

# REFERENCES

Web page for MIP (Modeling and Imaging Project) at UCSC http://www.es.ucsc.edu/~acti

Wu, R.S., 1994, Wide-angle elastic wave one-way propagation in heterogeneous media and an elastic wave complex-screen method, J. Geophys. Res., 99, 751-766.

Wu. R.S. and Xie, X.B., 1994, Multi-screen backpropagator for fast 3D elastic prestack migration, Mathematical Methods in Geophysical Imaging II, SPIE, 2301, 181-193.

Wu, R.S. Huang, L.J. and Xie, X.B., 1995, Backscattered wave calculation using the De Wolf approximation and a phase-screen propagator, Expanded Abstracts of the Technical Program, SEG 65th Annual Meeting, 1293-1296.

Wu, R.S. and Jin, S., 1997, Windowed GSP (generalized screen propagators) migration applied to SEG-EAEG salt model data, Expanded Abstracts of the Technical Program, SEG 65th Annual Meeting, 1246-1249.

Xie, X.B. and Wu, R.S., 1995, A complex-screen method for modeling elastic wave reflections, Expanded Abstracts of the Technical Program, SEG 65th Annual Meeting, 1269-1272.

Xie, X.B. and Wu, R.S., 1996, 3D elastic wave modeling using the complex screen method, Expanded Abstracts of the Technical Program, SEG 66th Annual Meeting, 1247-1250.

# **PUBLICATIONS**

Xie, X.B. and R.S., Wu, 1998, Improve the wide angle accuracy of screen method under large contrast, SEG 68th annual Meeting, Technical Program, Expanded Abstracts, 1811-1814.

Wu, R.S. and X.B. Xie, (editors), Modeling and Imaging Project, Technical Report No 3, Institute of Tectonics, University of California, Santa Cruz, 1997.

Wu, R.S. and X.B. Xie, (editors), Modeling and Imaging Project, Technical Report No 4 Institute of Tectonics, University of California, Santa Cruz, 1998